T6502 6h02260

FIG. 1



FIG. 2A



FIG. 2B



FIG. 3A



FIG. 3B



FIG. 3C



JP05020 "8h82260

FIG. 4



US 6,801,260 B2

FIG. 5



FIG. 6


OFF
LAND-SCAPE
PORTRAIT
PHOTO
PLAY
401

FIG. 7


DISTANCE MEASURING POINTS

FIG. 8



FIG. 9



FIG. 10A



FIG. 10B



FIG. 10C



■ = EFFECTIVE PIXEL
□ = INEFFECTIVE PIXEL
(a) = IMAGE ON FRAME MEMORY
(b) = IMAGE TO BE RECORDED

FIG. 11


DEP MODE
S401
TURN ON POWER SUPPLY
S402
AUTOMATIC FOCUSING
S403
NO
IN-FOCUS STATE DETECTED ?
YES
S404
MEASURE EVALUATION VALUES OF OTHER DISTANCE MEASURING POINTS
S405
COMPARE EVALUATION VALUES WITH EACH OTHER
S406
EVALUATION VALUES CLOSE TO EACH OTHER ?
YES
NO
S410
CONTROL LENS
S411
REDUCTION " A " OF IMAGE SIGNAL
S412
RECORD
S420
CONTROL LENS
S421
REDUCTION " B " OF IMAGE SIGNAL
S422
RECORD